



**Základní technické údaje:**

**Druh:**

**SECESE**

**Určení:**

dekorační a potahová tkanina



ČSN

**Materiálové složení:**

52 % VI, 48 % CO

**Šíře:**

145 cm

**Hmotnost:**

480 g/m

**Dostava osnovy / útku:**

osnova:

70 nití / cm

útek:

40 nití / cm

**Pevnost v tahu:**

osnova:

1215 N

80 0812

útek:

839 N

80 0812

**Odolnost v oděru:**

Martindale:

23 750 otáček

80 0846

**Posuv nití ve švu:**

posuv osnovních nití:

0,9 mm

80 0842

posuv útkových nití:

0,7 mm

80 0842

**Stálobarevnost:**

na světle:

3

20105-B02

při šamponování:

4 - 5

80 0168

v suchém otěru:

4 - 5

105-X12

v chemickém čištění:

5

105-D01

**Způsob ošetřování:**

šamponování



**Změna rozměrů**

**po chemickém čištění:**

osnova:

+ 0,2 %

3175-1,2

útek:

- 1,2 %

3175-1,2

**Skupina namáhání potahu:**

2 – nenáročné použití v domácnosti

549-80-96

**Úprava:**

předsrážení

**Možné provedení:**




nešpinivé, nehořlavé, zatemňující zátěr (jen u větších množství)






**Vzory a jejich opakování:**

**1837** 0

**1867** → 37 cm ↓ 34 cm

**1868** → 18 cm ↓ 34 cm





Všechny vzory jsou chráněny autorskými právy.

TLF 381 297 011  
FAX 381 297 029  
E-Mail: [info@kolovrat.cz](mailto:info@kolovrat.cz)  
http:// [www.kolovrat.cz](http://www.kolovrat.cz)

IČO: 47252561  
DIČ: CZ47252561  
OR: Krajský soud České Budějovice, C 2213



**Article:**

**SECESE**

**Applications:**

**decorative and upholstery fabric**



**Composition:**

52 % VI, 48 % CO

**Width:**

145 cm

**Mass:**

480 g/m

**Yarn density:**

warp: 70 threads/cm  
weft: 40 threads/cm

**Tensile strength:**

warp: 1215 N  
weft: 839 N

**Abrasion thread breakage:**

Martindale: 23 750 cycles

**Seam slippage:**


warp direction: 0,9 mm  
weft direction: 0,7 mm

**Colour fastness:**

to light: 3  
to shampooing: 4 - 5  
to dry rubbing: 4 - 5  
to chemical cleanig: 5

**Maintenance:**

shampooing



**Shrinkage after chemical cleaning:**

warp: + 0,2 %  
weft: - 1,2 %

**Finishing:**

preshrinking

**Modifications:**

flame retardant, dirty repellent, blackout (larger quantities only)

**Designs and repeats:**

<b>1837</b>	0	
<b>1867</b>	→ 37 cm	↓ 34 cm
<b>1868</b>	→ 18 cm	↓ 34 cm
<b>1826</b>	→ 37 cm	↓ 14,5 cm
<b>1827</b>	→ 18 cm	↓ 33 cm
<b>1828</b>	→ 37 cm	↓ 56 cm
<b>1884</b>	→ 18 cm	↓ 26 cm
<b>1885</b>	→ 18 cm	↓ 32 cm
<b>1893</b>	→ 13 cm	↓ 16 cm
<b>1894</b>	→ 9,5 cm	↓ 20 cm
<b>1898</b>	→ 37 cm	↓ 70 cm

All designs are protected by copyright.